




RENEWABLE
ENERGY
Performance in
projecten



Overview



- ➔ Create marketvalue in ways of gaining leverage in liquid investement trade.
- ➔ Unbeatable pricing and outstanding delivery time.





Wat is de evolutie tot heden


Herkenbare kwaliteit

Investeringsstiming

Which horizons?



- ➔ a strong distribution network with training facilities (how to be an photovoltaics installer incl. buss. Model)
- ➔ Creating shares in public, industrial and private installation (photovoltaics/thermics/mounting)
- ➔ Consolidate marketshares



The present



➔ In network as distributor and S.I. active in more than 12 European Members- all majors included:

- Germany
- Italy
- France
- Greece
- Belgium
- Netherlands
- ...



➔ Installer in private and industrial branches

What happened to get here?

- ➔ SOLTREC ZONNEPANELEN Installer – importer of photovoltaic systems in private business



Telecom – Sumetzberger Pneumatic Systems is a global player in the market with projects running in frames with retail, hospitals, industry.

- ➔ Stronger market growth than predicted
- ➔ Market share evaluation and quality gain

Company Setup



SOLTREC NETWORK s.a.

p/a Industripark Kwikaard 104
2980 Zoersel (Antwerp/Belgium)
Mob +32 492 72 23 00 Fax +32 33 22 61 00
www.soltrec.be support@soltrec.be




Soltrec Pro

Soltrec Mounting SYstems

Product portfolio



SUNPOWER



300 SOLAR PANEL EXCEPTIONAL EFFICIENCY AND PERFORMANCE

Mechanical Data

Solar Cells: 96 SunPower all back-contact monocrystalline
Front Glass: 4.0 mm (5/32 in) tempered
Junction Box: IP-65 rated with 3 bypass diodes
Output Cables: 900 mm length cables / Multi-Contact connectors
Frame Anodized aluminum alloy type 6063

Weight 24 kg

Dimensions

1559 x 1046

Warranty – Certifications

25 year limited power warranty
10 year limited product warranty
IEC 61215, Safety tested IEC 61730






SOLTREC NETWORK s.a.

p/a Industriepark Kwikaard 104
2980 Zoersel (Antwerp/Belgium)
Mob +32 492 72 23 00 Fax +32 33 22 61 00
www.soltrec.be support@soltrec.be

Product portfolio



SUNPOWER



225 SOLAR PANEL EXCEPTIONAL EFFICIENCY AND PERFORMANCE

Mechanical Data

Solar Cells: 72 SunPower all back-contact monocrystalline
Front Glass: 3.2 mm (1/8 in) tempered
Junction Box: IP-65 rated with 3 bypass diodes
Output Cables: 900 mm length cables / Multi-Contact connectors
Frame Anodized aluminum alloy type 6063

Weight 15 kg

Dimensions


1559 x 798

Warranty – Certifications

25 year limited power warranty
10 year limited product warranty
IEC 61215, Safety tested IEC 61730



Product portfolio




Solar module MEPV 220/230

(STC) 1000 W/m², AM 1,5; 25°C
60 monocrystalline silicon cells
10 years product warranty
90% nominal power / 12 years
80% nominal power / 25 years
Connectors type Multi-Contact and 4 mm²
cable section, 1 m Flex-Sol length
Diodes by-pass incorporated and junction
box: IP 65
4 mm tempered glass with low iron content
Anodized aluminium frame
Dimensions:
1676 x 998 x 41 mm (L x W x D) +/- 2 mm
Weight: 22 Kg
TÜV Rheinland



Product portfolio



Solar module PEPV 220/230

(STC) 1000 W/m², AM 1,5; 25°C
60 multicristalline silicon cells
10 years warranty product
90% nominal power / 12 years
80% nominal power / 25 years
Connectors type Multi-Contact and 4 mm² cable section, 1 m Flex-Sol length
Diodes by-pass incorporated and junction box: IP 65
4 mm tempered glass with low iron content
Anodized aluminium frame
Dimensions:
1676 x 998 x 41 mm (L x W x D) +/- 2 mm
Weight: 22 Kg
TÜV Rheinland



Product portfolio



SOLTREC SOLAR PANELS – SOLTREC NETWORK - SOLTREC PRO

Imanderleylaan 30 2980 Zoersel

Tel +32 33 85 08 00 fax +32 33 22 61 00

www.soltrec.be management@soltrec.be

Best quality available

Valueprovider for investors

Brands:

- SUNPOWER – SOLON
- EURENER – SHARP
- PHOTOWATT
- SMA – FRONIUS
- CITRIN SOLAR



Soltrec Network

Distribution of High Quality Performance Products in Renewable Energy

Soltrec Pro

Realisation of turn-key projects
and system integration