

Dätwyler Cables

unilan[®] EasyRack Solutions

unilan[®]



Context

Cabinets

unilan [®] EasyRack Network Cabinet.....	U-3
unilan [®] EasyRack Server Cabinet	U-4
unilan [®] EasyRack Wall Mounted Cabinet	U-5

Accessories

unilan [®] EasyRack Accessories.....	U-6
---	-----



unilan® EasyRack Network Cabinet

Product information

unilan® EasyRack Network Cabinet

Application

- Flexible and economical Solution
- Protection IP20 according to EN 60529
- Loading capacity: 5.5 kg/U with 19" front rack
11 kg/U with 19" front and back racks

Description

- Dismountable
- Reversible Front Door with safety smoked glass according to EN 12150-1, handle and lock
- Removable Side Walls and Back Door
- For 600 mm deep cabinets: 19" Front Rack, with adjustable depth
- For 800 mm deep cabinets: 19" Front and Back Racks, with adjustable depth
- Integrated 100 mm Base with 4 levelling supports
- Perforated Roof and Base for non-forced ventilation and cables entry
- Colour Black RAL 9005
- Accessories available

Delivery

- Mounted and packed

Special executions

- Special executions are available on request

Part No.	Description	Height*	Width	Depth
309 054	unilan® EasyRack Network Cabinet, 24U	1.256	600	600
309 055	unilan® EasyRack Network Cabinet, 24U	1.256	600	800
309 056	unilan® EasyRack Network Cabinet, 24U	1.256	800	600
309 057	unilan® EasyRack Network Cabinet, 24U	1.256	800	800
309 058	unilan® EasyRack Network Cabinet, 34U	1.701	600	600
309 059	unilan® EasyRack Network Cabinet, 34U	1.701	600	800
309 060	unilan® EasyRack Network Cabinet, 34U	1.701	800	600
309 061	unilan® EasyRack Network Cabinet, 34U	1.701	800	800
309 062	unilan® EasyRack Network Cabinet, 42U	2.057	600	600
309 063	unilan® EasyRack Network Cabinet, 42U	2.057	600	800
309 064	unilan® EasyRack Network Cabinet, 42U	2.057	800	600
309 065	unilan® EasyRack Network Cabinet, 42U	2.057	800	800
309 066	unilan® EasyRack Network Cabinet, 48U	2.324	600	600
309 067	unilan® EasyRack Network Cabinet, 48U	2.324	600	800
309 068	unilan® EasyRack Network Cabinet, 48U	2.324	800	600
309 069	unilan® EasyRack Network Cabinet, 48U	2.324	800	800

* Including 100 mm Base

unilan® EasyRack Server Cabinet
19" - 24U, 34U, 42U and 48U



unilan® EasyRack Server Cabinet

Product information

unilan® EasyRack Server Cabinet

Application

- Flexible and economical Solution
- Protection IP20 according to EN 60529
- Loading capacity: 5.5 kg/U with 19" front rack
11 kg/U with 19" front and back racks

Description

- Dismountable
- Reversible perforated front and back doors, handle and lock
- Removable Side Walls and Back Door
- 19" Front and Back Racks, with adjustable depth
- Integrated 100 mm Base with 4 levelling supports
- Perforated Roof and Base for non-forced ventilation and cables entry
- Colour Black RAL 9005
- Accessories available

Delivery

- Mounted and packed

Special executions

- Special executions are available on request

Part No.	Description	Height*	Width	Depth
309 070	unilan® EasyRack Server Cabinet, 24U	1.256	600	1.000
309 071	unilan® EasyRack Server Cabinet, 24U	1.256	800	1.000
309 072	unilan® EasyRack Server Cabinet, 34U	1.701	600	1.000
309 073	unilan® EasyRack Server Cabinet, 34U	1.701	800	1.000
309 074	unilan® EasyRack Server Cabinet, 42U	2.057	600	1.000
309 075	unilan® EasyRack Server Cabinet, 42U	2.057	800	1.000
309 076	unilan® EasyRack Server Cabinet, 48U	2.324	600	1.000
309 077	unilan® EasyRack Server Cabinet, 48U	2.324	800	1.000

* Including 100 mm Base



unilan® EasyRack Wall Mounted Cabinet

Product information

unilan® EasyRack Wall Mounted Cabinet

Application

- Flexible and economical Solution
- Protection IP20 according to EN 60529

Description

- Reversible Front door with safety smoked glass, handle and lock
- Removable Side Walls and Back Door
- 19" Front Rack, with adjustable depth
- 19" Back Rack, fixed
- Perforated Roof and Base for non-forced ventilation and cables entry
- Colour Black RAL 9005
- Accessories available

Delivery

- Mounted and packed

Part No.	Description	Height*	Width	Depth
309 048	unilan® EasyRack Wall Mounted Cabinet, 9U	504	600	526
309 049	unilan® EasyRack Wall Mounted Cabinet, 12U	637	600	526
309 050	unilan® EasyRack Wall Mounted Cabinet, 16U	833	600	526
309 051	unilan® EasyRack Wall Mounted Cabinet, 9U	504	600	400
309 052	unilan® EasyRack Wall Mounted Cabinet, 12U	637	600	400
309 053	unilan® EasyRack Wall Mounted Cabinet, 16U	833	600	400

* Including 100 mm Base



Fig. 1



Fig. 2




Fig. 3



Fig. 4



Fig. 5



Fig. 6



Fig. 7




Fig. 8

Product information

unilan® EasyRack Accessories

Application

The different accessories of unilan® EasyRack allow a customized Solution for all cabinet types of the EasyRack Series

Part No.	Fig.	Description	colour/material	PU
1411 480	1	Guiding Element/Ring 30 mm	plastic, black	1 Piece
1411 481	1	Guiding Element/Ring 75 mm	metallic	1 Piece
1411 482	1	Guiding Element/Ring 110 mm	metallic	1 Piece
1411 604	1	Panel 19", 1U	RAL 7035	1 Piece
1407 689	1	Panel 19", 1U	RAL 9005	1 Piece
418 200	1	Panel 19", 1U	stainless steel blank	1 Piece
309 084	2	Cable Management Set 24U – Vert. Strip (2 Pcs.) with Rings (4 Pcs.) – for 800 mm wide Cabinets		
309 085	2	Cable Management Set 34U – Vert. Strip (2 Pcs.) with Rings (8 Pcs.) – for 800 mm wide Cabinets		
309 086	2	Cable Management Set 42U – Vert. Strip (2 Pcs.) with Rings (10 Pcs.) – for 800 mm wide Cabinets		
309 087	2	Cable Management Set 48U – Vert. Strip (2 Pcs.) with Rings (10 Pcs.) – for 800 mm wide Cabinets		
309 088	2	Set of Cable Management Rings – 30 mm (10 Pcs.)		
309 089	2	Set of Cable Management Rings – 70 mm (10 Pcs.)		
309 090	3	Cable Management Side Bars for 600 mm deep Cabinets		
309 091	3	Cable Management Side Bars for 800 mm deep Cabinets		
309 092	3	Cable Management Side Bars for 1000 mm deep Cabinets		
309 093	4	Blind Panel 19" 1U		
309 094	4	Blind Panel 19" 2U		
309 095	4	Blind Panel 19" 3U		
309 096	5	2-fixing-points stationary shelf 19" 2U / Depth 250 mm / Load limit 25 kg		
309 097	5	2-fixing-points stationary shelf 19" 2U / Depth 380 mm / Load limit 25 kg		
309 098	6	4-fixing-points stationary shelf 19" 1U / Adjustable depth 427 mm - 755 mm/ Load limit 50 kg		
309 107	7	2-fixing-points Telescopic shelf 19" 2U / Depth 370 mm		
309 108	7	4-fixing-points Telescopic shelf 19" 2U / Adjustable depth 466 mm - 696 mm		
4 000 072	8	Ventilation Element for roof mounting, including 1 ventilator and lighting switch (for wall racks)		
309 109	8	Ventilation Element for Roof Mounting including 2 ventilators and lighting switch		
309 110	8	Ventilation Element for Roof Mounting including 4 ventilators and lighting switch		



Fig. 9



Fig. 10



Fig. 11



Fig. 12



Fig. 13




Fig. 14



Fig. 15



Fig. 16

Product information

unilan® EasyRack Accessories

Application

The different accessories of unilan® EasyRack allow a customized Solution for all cabinet types of the EasyRack Series

Part No.	Fig.	Description
309 111	9	Ventilation Element for 19" Rack mounting including 2 ventilators
309 113	9	Ventilation Element for 19" Rack mounting including 4 ventilators
309 115	10	Multiple Socket with 6 EU Outlets and safety switch 1P+N, 19", 1U
309 116	10	Multiple Socket with 6 EU Outlets and lighting switch, 19", 1U
4 000 075	10	Multiple Socket with 10 EU outlets and safety switch 1P + N, 1U
4 000 076	10	Multiple Socket with 10 EU outlets and lighting switch, 1U
4 000 077	-	Vertical Support for back rack 19", 24 U
4 000 078	-	Vertical Support for back rack 19", 34 U
4 000 079	-	Vertical Support for back rack 19", 42 U
4 000 080	-	Vertical Support for back rack 19", 48 U
4 000 084	11	Support for vertical mounting of 19" Multiple Sockets
309 117	12	Earthing set (10 Cables Green-Yellow) - 4 mm²
309 118	12	Earthing Copper strip with 10 Holes and Isolating elements
309 120	-	Documents Pocket
309 121	13	Coupling Kit for all Floor Cabinet types
309 122	14	Stabilising element for 600 mm Wide Cabinets
309 123	14	Stabilising element for 800 mm Wide Cabinets
309 124	-	Screws Set
4 000 081	15	Levelling Element set
4 000 070	-	Wheels set (2 wheels with brakes + 2 wheels without brakes)
4 000 082	16	Neon Lamp 19", 1 U
4 000 083	-	Thermostat Kit for ventilation elements

Switzerland

**Daetwyler Cables
Unit of Daetwyler Switzerland Inc.**
Gotthardstrasse 31
CH-6460 Altdorf
T +41-41-875 12 68
F +41-41-875 19 86
info.ch@daetwyler-cables.com
www.daetwyler-cables.com

Great Britain

Datwyler (UK) Ltd
Unit B
Omega Enterprise Park
Electron Way
Chandlers Ford
GB-Hampshire SO53 4SE
T +44-2380-279 999
F +44-2380-279 998
info.uk@daetwyler-cables.com
www.daetwyler-cables.com

Germany

Dätwyler Cables GmbH
Lilienthalstraße 17
DE-85399 Hallbergmoos
T +49-811-99 86 33 0
F +49-811-99 86 33 30
info.de@daetwyler-cables.com
www.daetwyler-cables.com

Dätwyler Cables GmbH
Auf der Roos 4-12
DE-65795 Hattersheim
T +49-6190-88 80 0
F +49-6190-88 80 80
info.de@daetwyler-cables.com
www.daetwyler-cables.com

Austria

**Dätwyler Cables GmbH
Office Austria**
Tenschartstraße 8
AT-1230 Wien
T +43-1-810 16 41 0
F +43-1-810 16 41 35
info.at@daetwyler-cables.com
www.daetwyler-cables.com

China

**Datwyler Cables+Systems
(Shanghai) Co. Ltd**
Building 16, No. 1-111,
Kang Qiao Dong Road
Kang Qiao Industrial Zone, Pudong
CN-201319 Shanghai, P.R. China
T +86-21-6813 0066
F +86-21-6813 0298
info@datwyler-china.com
www.datwyler-china.com

**Datwyler (Suzhou)
Cabling Systems Co. Ltd**
Block 31, 15# Dong Fu Road
Suzhou Singapore Industrial Park
CN-215123 Suzhou, P.R. China
T +86-512-6265 3600
F +86-512-6265 3650
sales.harnessing@datwyler-china.com
www.datwyler-china.com

Singapore

**Datwyler (Thelma)
Cables+Systems Pte Ltd**
29 Tech Park Crescent
SG-638103 Singapore
T +65-6863 1166
F +65-6897 8885
sales@datwyler.com.sg
www.daetwyler-cables.com